




ANSMANN WL14000AC

Quad LED spotlight (4× 30W) with 3 colour temperatures, incl. stand

Features

- Mains work spotlight, flexible use thanks to swivelling LED modules.
- With 4× 30W SMD LED modules with a lighting power of up to 14,000 lm
- Three brightness levels can be selected via the on/off switch - always providing optimum illumination for the task at hand
- Three different colour temperatures selectable: 3000K, 4500K or 6500K
- Homogeneous illumination
- Including AC "Schuko" plug with 5m cable
- Splash-proof IP54 - can be used indoors and out
- Shock-resistant housing IK08
- Very compact format in transport state - fold-out and height-adjustable stand
- Cable winding device included



Luminous flux



High Power LED



Splashproof



Shock resistance



Cable length



Color Temperature



Article number: 1600-0551
Product content: Lamp, stand



Specifications

Nominal voltage	230 V
Illuminant power	120 W
Maximum luminous flux	14.000 lumens
Protection class	IP54
Maximum operating time	24 hrs.
Power supply	220V-240V AC
Light modes	▪ 100% / 50% / 25% ▪ 3000K / 4500K / 6500K

Performance data	Mode	Colour temperature	Maximum luminous flux
	100%	3000 K	13.150 lumens
	100%	4500 K	13.170 lumens
	100%	6500 K	14.000 lumens
	50%	3000 K	6.500 lumens
	50%	4500 K	6.700 lumens
	50%	6500 K	7.000 lumens
	25%	3000 K	3.500 lumens
	25%	4500 K	3.500 lumens
	25%	6500 K	3.500 lumens

IK Protection Class	IK08
Colour temperature	3000 - 6500 K
Housing material	Aluminum+ABS+PC

Color	black / grey
Packaging	cardboard box
Operating temperature	-20 - 50 °C
Storage temperature	-20 - 50 °C
Dimensions	545 × 465 × 442 mm