PRODUCT DATASHEET





ANSMANN WL390R

Rechargeable workshop light with two colour temperatures - slim, robust and very bright

Features

- Professional work light with a robust plastic housing
- 3 switching functions main LED (warm white/ cool white) and the auxiliary LED
- Power supply: integrated Li-Po 3,7V / 1200mAh with safety electronics
- Max. 385 lumens
- Up to 5 hours of lighting with the auxiliary LED / up to 3 hours with the main LED

Years Warranty*

- protection type IP20
- Can be charged via the USB type-C cable (included)







PRODUCT DATASHEET





Article number:

Product content:

Customs tariff number: Packing Unit:

4

1600-0440 WL390R, USB Type-C charge cable, operating instructions 85131000000

33 (390 × 282 × 355 mm)

Specifications

Illuminant power	5 W					
Light range	36 m	36 m				
Luminous flux	385 lumens	385 lumens				
Brightness	1.360 Lux	1.360 Lux				
Protection class	IP20	IP20				
Operating time	5 h	5 h				
Power supply	Li-Po 3,7V / 1	Li-Po 3,7V / 1200mAh				
Light modes	Hauptlicht Ka	Hauptlicht Kaltweiß / Hauptlicht Warmweiß / Top LED				
Performance data	Mode	Light range	Luminous flux	Brightness	Operating time	
	Main light - cool white	23 m	385 lumens	560 Lux	3 h	
	Main light - warm white	23 m	350 lumens	540 Lux	3 h	
	Top LED	36 m	50 lumens	1.360 Lux	5 h	
Illuminant	Mode	Illuminant	Illuminant po	wer Lamp life	Colour temperature	
	Main light - cool white	SMD LED	5 W	50000	6500 K	
	Main light - warm white	SMD LED	5 W	50000	3000 K	
	Top LED	LED	3 W	50000	7500 K	
Housing material	ABS					

PRODUCT DATASHEET



Color	blue / black	
Packaging	cardboard box	
Operating temperature	0 - 25 °C	
Storage temperature	-10 - 40 °C	