

ANSMANN WL1100R

Robust rechargeable work light with additional flexible light arm

Features

- 4 lighting modes with up to 1,100 lumens
- Battery life of up to 11 hours
- Rechargeable Li-ion battery (3.7 V, 2,600 mAh, 9.62 Wh)
- Magnetic holder integrated into the base
- 360° rotatable hook that folds out
- Includes gooseneck
- Protection rating IP54 + IK08



SMD-LED



High Power LED



Luminous flux



Brightness



Operating time



Magnetic mounting



Splashproof



Shock resistance



Article number: 1600-0565

Product content: Lamp, USB-C charge cable, operating instructions

4 013674 195329

Specifications

Nominal voltage	3,7 V				
Nominal capacity	2600 mAh				
Illuminant	10W COB-LED + 2W SPOT-LED				
Maximum light range	44 m				
Maximum luminous flux	1.100 lumens				
Maximum brightness	1.984 Lux				
Protection class	IP54				
Maximum operating time	11 hrs.				
Power supply	Li-ion 3.7V | 4400mAh | 16.28Wh				
Performance data	**Mode**	**Maximum light range**	**Maximum luminous flux**	**Maximum brightness**	**Maximum operating time**
	Spot beam	35 m	400 lumens	1.284 Lux	8 hrs.
	COB-LED / Hoch	44 m	1.100 lumens	1.984 Lux	2,5 hrs.
	COB-LED / Mittel	31 m	550 lumens	972 Lux	5 hrs.
	COB-LED / Niedrig	21 m	270 lumens	472 Lux	11 hrs.
IK Protection Class	IK08				
Colour temperature	6500 - 7000 K				
Color	black / blue				
Packaging	cardboard box				
Operating temperature	-10 - 40 °C				
Storage temperature	0 - 30 °C				

Dimensions	171 × 76.5 × 40.7 mm